

OBJAVLJENI RADOVI U 2017. GODINI ZAPOSLENIH U IORS

(podaci preuzeti iz SCOPUS indeksne baze)

- (1) Ponde N, Bradbury I, Lambertini M, Ewer M, Campbell C, Ameels H, et al. Cardiac biomarkers for early detection and prediction of trastuzumab and/or lapatinib-induced cardiotoxicity in patients with HER2-positive early-stage breast cancer: a NeoALTTO sub-study (BIG 1-06). *Breast Cancer Res Treat* 2017;1-8. IF 3.626.
- (2) Tomović J, Kosanić M, Ristić S, Ranković B, Stanojković T, Manojlović N. Chemical composition and bioactive properties of the lichen, *Pleurosticta acetabulum*. *Trop J Pharm Res* 2017;16(12):2977-2984. IF 0.569
- (3) Martin M, Holmes FA, Ejlersen B, Delaloge S, Moy B, Iwata H, et al. Neratinib after trastuzumab-based adjuvant therapy in HER2-positive breast cancer (ExteNET): 5-year analysis of a randomised, double-blind, placebo-controlled, phase 3 trial. *Lancet Oncol* 2017;18(12):1688-1700. IF 33.900
- (4) Milunović MNM, Dobrova A, Novitchi G, Gligorijević N, Radulović S, Kožišek J, et al. Effects of Terminal Substitution and Iron Coordination on Antiproliferative Activity of l-Proline-salicylaldehyde–Thiosemicarbazone Hybrids. *Eur J Inorg Chem* 2017;2017(40):4773-4783. IF 2.444
- (5) Živković MB, Matić IZ, Rodić MV, Novaković IT, Krivokuća AM, Sladić DM, et al. Anticancer potential of new steroidal thiazolidin-4-one derivatives. Mechanisms of cytotoxic action and effects on angiogenesis in vitro. *J Steroid Biochem Mol Biol* 2017;174:72-85. IF 4.561
- (6) Nikolić MM, Jovanović KK, Marković TL, Marković DL, Gligorijević NN, Radulović SS, et al. Antimicrobial synergism and cytotoxic properties of *Citrus limon* L., *Piper nigrum* L. and *Melaleuca alternifolia* (Maiden and Betche) Cheel essential oils. *J Pharm Pharmacol* 2017;69(11):1606-1614. IF 2.415
- (7) Cordero OJ, Varela-Calviño R, López-González T, Grujic M, Juranic Z, Mouriño C, et al. Anti-CD26 autoantibodies are involved in rheumatoid arthritis and show potential clinical interest. *Clin Biochem* 2017;50(16-17):903-910. IF 2.434
- (8) Djuričić GJ, Radulovic M, Sopta JP, Nikitović M, Milošević NT. Fractal and gray level cooccurrence matrix computational analysis of primary osteosarcoma magnetic resonance images predicts the chemotherapy response. *Front Oncol* 2017;7(OCT). ----
- (9) Konjevic G, Vuletic A, Mirjagic Martinovic K, Krivokuca A, Jankovic R, Babovic N. Evaluation of the Functional Capacity of NK Cells of Melanoma Patients in an In Vitro Model of

NK Cell Contact with K562 and FemX Tumor Cell Lines. *J Membr Biol* 2017;250(5):507-516.
IF 1.696

(10) Petrovic N, Sami A, Martinovic J, Zaric M, Nakashidze I, Lukic S, et al. TIMP-3 mRNA expression levels positively correlates with levels of miR-21 in in situ BC and negatively in PR positive invasive BC. *Pathol Res Pract* 2017;213(10):1264-1270. IF 1.543

(11) Petrovic N, Ergün S, Isenovic ER. Levels of MicroRNA Heterogeneity in Cancer Biology. *Mol Diagn Ther* 2017;21(5):511-523. IF 1.909

(12) Jovanovic D, Stevic R, Velinovic M, Kontic M, Maric D, Spasic J, et al. Durable complete remission of poor performance status metastatic lung adenocarcinoma patient treated with second-line erlotinib: A case report. *OncoTargets Ther* 2017;10:4347-4354. IF 2.612

(13) Anđelković K, Milenković MR, Pevec A, Turel I, Matić IZ, Vujčić M, et al. Synthesis, characterization and crystal structures of two pentagonal-bipyramidal Fe(III) complexes with dihydrazone of 2,6-diacetylpyridine and Girard's T reagent. Anticancer properties of various metal complexes of the same ligand. *J Inorg Biochem* 2017;174:137-149. IF 3.348

(14) Jovanovic M, Selmic M, Macura D, Lavrnica S, Gavrilovic S, Dakovic M, et al. Structural and Metabolic Pattern Classification for Detection of Glioblastoma Recurrence and Treatment-Related Effects. *Appl Magn Reson* 2017;48(9):921-931. IF 0.864

(15) Mirjačić Martinović KM, Vuletić AM, Lj. Babović N, Džodić RR, Konjević GM, Jurišić VB. Attenuated in vitro effects of IFN- α , IL-2 and IL-12 on functional and receptor characteristics of peripheral blood lymphocytes in metastatic melanoma patients. *Cytokine* 2017;96:30-40. IF 3.488

(16) Denić K, Tarabar D, Obradović S, Stanić N, Spasić J, Ugrešić N. Biochemical liver function tests parameters do not indicate any difference in the degree of hepatotoxicity in patients with metastatic colorectal carcinoma treated with conventional anticancer drugs regardless the use of bevacizumab. *Vojnosanit Pregl* 2017;74(8):757-762. IF 0.367

(17) Illic R, Somma T, Savic D, Frio F, Milicevic M, Solari D, et al. A Survival Analysis with Identification of Prognostic Factors in a Series of 110 Patients with Newly Diagnosed Glioblastoma Before and After Introduction of the Stupp Regimen: A Single-Center Observational Study. *World Neurosurg* 2017;104:581-588. IF 2.592

(18) Kolundžić M, Stanojković T, Radović J, Tačić A, Dodevska M, Milenković M, et al. Cytotoxic and antimicrobial activities of *Cantharellus cibarius* Fr. (Cantarellaceae). *J Med Food* 2017;20(8):790-796. IF 1.955

(19) Burmudžija AZ, Muškinja JM, Kosanić MM, Ranković BR, Novaković SB, Đorđević SB, et al. Cytotoxic and Antimicrobial Activity of Dehydrozingerone based Cyclopropyl Derivatives. *Chem Biodiversity* 2017;14(8). IF 1.440

- (20) Krivokuca A, Dragos VS, Stamatovic L, Blatnik A, Boljevic I, Stegel V, et al. Novel BRCA1 splice-site mutation in ovarian cancer patients of Slavic origin. *Fam Cancer* 2017;1-7. IF 1.660
- (21) Rajković N, Radulović M, Stojadinović B, Nikolić Vukosavljević D, Kanjer K, Rajković N. Analysis of Histopathology Images by the Use of Monofractal and Multifractal Algorithms. *Proceedings - 2017 21st International Conference on Control Systems and Computer, CSCS (IEEE Control System Magazine)*, 2017; 2017. IF 5.196
- (22) Devrnja N, Anđelković B, Arandelović S, Radulović S, Soković M, Krstić-Milošević D, et al. Comparative studies on the antimicrobial and cytotoxic activities of *Tanacetum vulgare* L. essential oil and methanol extracts. *S Afr J Bot* 2017;111:212-221. IF 1.427
- (23) Ušjak L, Petrović S, Drobac M, Soković M, Stanojković T, Ćirić A, et al. Edible wild plant *Heracleum pyrenaicum* subsp. *orsinii* as a potential new source of bioactive essential oils. *J Food Sci Technol* 2017;54(8):2193-2202. IF 1.640
- (24) Pantelić N, Zmejkovski BB, Kolundžija B, Crnogorac MĐ, Vujić JM, Dojčinović B, et al. In vitro antitumor activity, metal uptake and reactivity with ascorbic acid and BSA of some gold(III) complexes with N,N'-ethylenediamine bidentate ester ligands. *J Inorg Biochem* 2017;172:55-66. IF 3.348
- (25) Zmejkovski BB, Pantelić N, Filipović L, Arandelović S, Radulović S, Sabo TJ, et al. In vitro anticancer evaluation of platinum(II/IV) complexes with diisooamyl ester of (S,S)-ethylenediamine-N,N'-di-2-propanoic acid. *Anti-Cancer Agents Med Chem* 2017;17(8):1136-1143. IF 2.598
- (26) Milovanović J, Todorović-Raković N, Vujasinović T, Rabi ZA. Interleukin 8 in progression of hormone-dependent early breast cancer. *J Biosci* 2017;42(2):265-274. IF 1.422
- (27) Skorić M, Gligorijević N, Čavić M, Todorović S, Janković R, Ristić M, et al. Cytotoxic activity of *Nepeta rtanjensis* Diklić & Milojević essential oil and its mode of action. *Ind Crops Prod* 2017;100:163-170. IF 3.181
- (28) Stanković ZB, Sedlecky K, Savić D, Lukač BJ, Mažibrada I, Perovic S. Ovarian Preservation from Tumors and Torsions in Girls: Prospective Diagnostic Study. *J Pediatr Adolesc Gynecol* 2017;30(3):405-412. IF 1.576
- (29) Milošev MZ, Jakovljević K, Joksović MD, Stanojković T, Matić IZ, Perović M, et al. Mannich bases of 1,2,4-triazole-3-thione containing adamantane moiety: Synthesis, preliminary anticancer evaluation, and molecular modeling studies. *Chem Biol Drug Des* 2017;89(6):943-952. IF 2.396

- (30) Bozovic-Spasojevic I, Zardavas D, Brohee S, Ameye L, Fumagalli D, Ades F, et al. The prognostic role of androgen receptor in patients with early-stage breast cancer: A metaanalysis of clinical and gene expression data. *Clin Cancer Res* 2017;23(11):2702-2712. IF 9.619
- (31) Milosevic ZC, Nadrljanski MM, Milovanovic ZM, Gusic NZ, Vucicevic SS, Radulovic OS. Breast dynamic contrast enhanced MRI: Fibrocystic changes presenting as a non-mass enhancement mimicking malignancy. *Radiol Oncol* 2017;51(2):130-136. IF 1.681
- (32) Besu I, Srdic-Rajic T, Matić I, Jankovic L, Besu V, Konic-Ristic A, et al. The absence of immunoreactivity to donkey's milk in patients with recurrent aphthous ulcers and immunoreactivity to cow's milk. *Food Agric Immunol* 2017;28(3):452-462. IF 1.392
- (33) Bošnjak SM, Gralla RJ, Schwartzberg L. Prevention of chemotherapy-induced nausea: the role of neurokinin-1 (NK1) receptor antagonists. *Supportive Care Cancer* 2017;25(5):1661-1671. IF 2.689
- (34) Dabić-Stanković K, Rajković K, Aćimović M, Milošević N, Stanković J. A quantitative analysis of two-dimensional manually segmented transrectal ultrasound axial images in planning high dose rate brachytherapy for prostate cancer. *Vojnosanit Pregl* 2017;74(5):420-427. IF 0.367
- (35) Soror T, Kovács G, Seibold N, Melchert C, Baumann K, Wenzel E, et al. Cosmetic changes following surgery and accelerated partial breast irradiation using HDR interstitial brachytherapy: Evaluation by a multidisciplinary/multigender committee. *Strahlenther Onkol* 2017;193(5):367-374. IF 2.735
- (36) Veljović S, Veljović M, Nikićević N, Despotović S, Radulović S, Nikšić M, et al. Chemical composition, antiproliferative and antioxidant activity of differently processed *Ganoderma lucidum* ethanol extracts. *J Food Sci Technol* 2017;54(5):1312-1320. IF 1.262
- (37) Dobrosavljevic Vukojevic D, Djuricic I, Lukic S, Kastratovic-Kotlica B, Vukicevic J. Dermatoscopy in vulvar basal cell carcinoma. *J Eur Acad Dermatol Venereol* 2017;31(4):e180-e181. IF 3.528
- (38) Milutinović MM, Rilak A, Bratsos I, Klisurić O, Vraneš M, Gligorijević N, et al. New 4'-(4-chlorophenyl)-2,2':6',2''-terpyridine ruthenium(II) complexes: Synthesis, characterization, interaction with DNA/BSA and cytotoxicity studies. *J Inorg Biochem* 2017;169:1-12. IF 3.348
- (39) Kandolf Sekulovic L, Peris K, Hauschild A, Stratigos A, Grob J-, Nathan P, et al. More than 5000 patients with metastatic melanoma in Europe per year do not have access to recommended first-line innovative treatments. *Eur J Cancer* 2017;75:313-322. IF 6.029
- (40) Došić M, Eraković S, Janković A, Vukašinović-Sekulić M, Matić IZ, Stojanović J, et al. In vitro investigation of electrophoretically deposited bioactive hydroxyapatite/chitosan coatings reinforced by graphene. *J Ind Eng Chem* 2017;47:336-347. IF 4.421

- (41) Zaltariov MF, Hammerstad M, Arabshahi HJ, Jovanović K, Richter KW, Cazacu M, et al. New Iminodiacetate-Thiosemicarbazone Hybrids and Their Copper(II) Complexes Are Potential Ribonucleotide Reductase R2 Inhibitors with High Antiproliferative Activity. *Inorg Chem* 2017;56(6):3532-3549. IF 4.857
- (42) Baroud AA, Mihajlović-Lalić LE, Gligorijević N, Arandelović S, Stanković D, Radulović S, et al. Ruthenium(II) bipyridine complexes: from synthesis and crystal structures to electrochemical and cytotoxicity investigation. *J Coord Chem* 2017;70(5):831-847. IF 1.795
- (43) Mladenovic J, Susnjar S, Tanic M, Jankovic R, Karadzic K, Gavrilovic D, et al. Tumor response and patient outcome after preoperative radiotherapy in locally advanced non-inflammatory breast cancer patients. *J B U ON* 2017;22(2):325-333. IF 1.344
- (44) Nikolić J, Nešić A, Čavić M, Đorđević N, Anđelković U, Atanasković-Marković M, et al. Effect of malondialdehyde on the ovalbumin structure and its interactions with T84 epithelial cells. *Biochim Biophys Acta Gen Subj* 2017;1861(2):126-134. IF 4.702
- (45) Bacher F, Dömötör O, Enyedy ÉA, Filipović L, Radulović S, Smith GS, et al. Complex formation reactions of gallium(III) and iron(III/II) with L-proline-thiosemicarbazone hybrids: A comparative study. *Inorg Chim Acta* 2017;455:505-513. IF 2.002
- (46) Todorović-Raković N, Radulovic M, Vujasinović T, Rabi ZA, Milovanović J, Nikolić-Vukosavljević D. BFGF in tumor tissue independently prognosticates disease outcome of a natural course of invasive breast cancer. *Cancer Biomarkers* 2017;20(2):151-158. IF 2.274
- (47) Elgndi MA, Filip S, Pavlić B, Vladić J, Stanojković T, Žižak Ž, et al. Antioxidative and cytotoxic activity of essential oils and extracts of *Satureja montana* L., *Coriandrum sativum* L. and *Ocimum basilicum* L. obtained by supercritical fluid extraction. *J Supercritical Fluids* 2017;128:128-137. IF 2.991
- (48) Popović-Djordjević JB, Jevtić II, Grozdanić ND, Šegan SB, Zlatović MV, Ivanović MD, et al. α -Glucosidase inhibitory activity and cytotoxic effects of some cyclic urea and carbamate derivatives. *J Enzyme Inhib Med Chem* 2017;32(1):298-303. IF 4.293
- (49) Ristic S, Kocic SS, Milovanovic DR, Mihajlovic G, Mihailovic N, Lucic AT, et al. Vitamin D status in patients with mental disorders: A cross-sectional analysis of single cohort from routine practice. *Acta Endocrinol (Bucharest)* 2017;13(1):40-46. IF 0.250
- (50) Jakovljević K, Matić IZ, Stanojković T, Krivokuća A, Marković V, Joksović MD, et al. Synthesis, antioxidant and antiproliferative activities of 1,3,4-thiadiazoles derived from phenolic acids. *Bioorg Med Chem Lett* 2017;27(16):3709-3715. IF 2.454
- (51) Francuz J, Kovačević I, Popsavin M, Benedeković G, Zelenović BS, Kojić V, et al. Design, synthesis and in vitro antitumour activity of new goniofufurone and 7-epi-goniofufurone mimics with halogen or azido groups at the C-7 position. *Eur J Med Chem* 2017;128:13-24. IF 4.519

- (52) Ristic S, Zivanovic S, Milovanovic DR, Janjic V, Djokovic D, Jovicevic A, et al. Vitamin D deficiency and associated factors in patients with mental disorders treated in routine practice. *J Nutr Sci Vitaminol* 2017;63(2):85-95. IF 0.674
- (53) Kovačević I, Popsavin M, Benedeković G, Kesić J, Kojić V, Jakimov D, et al. Synthesis and in vitro antitumour activity of crassalactone D, its stereoisomers and novel cinnamic ester derivatives. *Eur J Med Chem* 2017;134:293-303. IF 4.519
- (54) Kosanić M, Ranković B, Rančić A, Stanojković T. Evaluation of metal contents and bioactivity of two edible mushrooms *agaricus campestris* and *boletus edulis*. *Emirates J Food Agric* 2017;29(2):98-103. IF 0.494
- (55) Zegarac M, Nikolic S, Gavrilovic D, Kolarevic D, Jevric M, Nikolic-Tomasevic Z, et al. Prognostic importance of steroid receptor status for disease free and overall survival after surgical resection of isolated liver metastasis in breast cancer patients. *J B U ON* 2017;22(1):192-199. IF 1.344
- (56) Plesinac-Karapandzic V, Stojanovic Rundic S, Jankovic R, Nadrljanski M, Milovanovic Z, Tomasevic A, et al. Non-diethylstilbestrol exposed vaginal adenocarcinoma in young patients associated with unilateral renal agenesis: Two case reports and literature review. *Eur J Gynaecol Oncol* 2017;38(1):157-161. IF 0.692
- (57) Mihailović N, Marković V, Matić IZ, Stanisavljević NS, Jovanović ŽS, Trifunović S, et al. Synthesis and antioxidant activity of 1,3,4-oxadiazoles and their diacylhydrazine precursors derived from phenolic acids. *RSC Adv* 2017;7(14):8550-8560. IF 3.108
- (58) Milović S, Kundaković T, Mačić V, Stanković JA, Grozdanić N, Đuričić I, et al. Anti α -glucosidase, antitumour, antioxidative, antimicrobial activity, nutritive and health protective potential of some seaweeds from the Adriatic coast of Montenegro. *Farmacia* 2017;65(5):731-740. IF 1.348
- (59) Ušjak L, Petrović S, Drobac M, Soković M, Stanojković T, Ćirić A, et al. Essential oils of three cow parsnips-composition and activity against nosocomial and foodborne pathogens and food contaminants. *Food Funct* 2017;8(1):278-290. IF 3.247
- (60) Todorović TR, Vukašinović J, Portalone G, Suleiman S, Gligorijević N, Bjelogrić S, et al. (Chalcogen)semicarbazones and their cobalt complexes differentiate HL-60 myeloid leukaemia cells and are cytotoxic towards tumor cell lines. *MedChemComm* 2017;8(1):103-111. IF 2.608
- (61) Fan Y, Luo L, Djuric M, Li Z, Antonijevic D, Milenkovic P, et al. Extracting Cross-Sectional Clinical Images Based on Their Principal Axes of Inertia. *Scanning* 2017;2017. IF 1.345
- (62) Baroud AA, Mihajlović-Lalić LE, Stanković D, Kajzerberger M, Van Hecke K, Grgurić-Šipka S, et al. New ruthenium(II) bipyridyl complex: Synthesis, crystal structure and cytotoxicity. *J Serb Chem Soc* 2017;82(3):267-275. IF 0.822

- (63) Skuletic V, Radosavljevic GD, Pantic J, Markovic BS, Jovanovic I, Jankovic N, et al. Angiogenic and lymphangiogenic profiles in histological variants of papillary thyroid carcinoma. *Poli Arch of Inter Medi* 2017;127(6):429-437. IF 2.309
- (64) Pljesa I, Berisavac M, Simic T, Pekmezovic T, Coric V, Suvakov S, et al. Polymorphic expression of glutathione transferases A1, M1, P1 and T1 in epithelial ovarian cancer: A Serbian case-control study. *J B U ON* 2017;22(1):72-79. IF 1.344
- (65) Goran M, Pekmezovic T, Markovic I, Santrac N, Buta M, Gavrilovic D, et al. Lymph node metastases in clinically N0 patients with papillary thyroid microcarcinomas - A single institution experience. *J B U ON* 2017;22(1):224-231. IF 1.344
- (66) Đuričić G, Milošević Z, Alempijević Đ, Radlović V, Medović R, Dučić S, et al. Social, clinical, and radiological characteristics of physical abuse of children under three years of age hospitalized in a tertiary health institution. *Srp Arh Celok Lek* 2017;145(5-6):234-238. IF 0.253
- (67) Grujic M, Matic IZ, Crnogorac MD, Velickovic AD, Kolundzija B, Cordero OJ, et al. Activity and expression of dipeptidyl peptidase IV on peripheral blood mononuclear cells in patients with early steroid and disease modifying antirheumatic drugs naïve rheumatoid arthritis. *Clin Chem Lab Med* 2017;55(1):73-81. IF 3.432
- (68) Andronache I, Fensholt R, Ahammer H, Ciobotaru A-, Pintilii R-, Peptenatu D, et al. Assessment of textural differentiations in forest resources in Romania using fractal analysis. *Forests* 2017;8(3). IF 1.951
- (69) Aapro M, Jordan K, Gralla RJ, Rizzi G, Rossi G, Palmas M, et al. Safety and efficacy of NEPA, an oral fixed combination of netupitant and palonosetron, in older patients. *J Geriatr Oncol* 2017;8(1):56-63. IF 2.852

Ukupni IF objavljenih radova za 2017. iznosi 198,445

H indeks =4

Ukupna citiranost = 60

Citiranost bez autocitata = 49